

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	537	(LED (light near3 emitt\$3 near3 diode)) & (stor\$3 near12 (intensit\$3 value)) & (arrang\$5 with adjacent) & measur\$5 & tempor\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 17:02
L2	36	1 & (rearrang\$5 (re adj arrang\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 16:52
L3	5	1 & ((rearrang\$5 (re adj arrang\$5)) with value)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 16:55
L4	497	(light near3 emitt\$3) & (stor\$3 near12 (intensit\$3 value)) & (arrang\$5 with adjacent) & measur\$5 & tempor\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 16:55
L5	4	4 & ((rearrang\$5 (re adj arrang\$5)) with value)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 16:57
L6	31	4 & ((rearrang\$5 (re adj arrang\$5)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 16:57
L7	36	1 & ((rearrang\$5 (re adj arrang\$5)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 16:57
L8	751	(LED (light near3 emitt\$3 near3 diode)) & (stor\$3 with (light\$3 intensit\$3 value)) & (arrang\$5 & (rearrang\$5 (re adj arrang\$5))) & measur\$5 & tempor\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 17:30

L9	111	8 & ((sort\$3 order\$3) with algorithm)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 17:06
L10	111	9 & method	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 17:16
L11	2	"20040113869"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 17:16
L12	0	11 & (unit near7 (measur\$5 & rearrang\$5 & calculat\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 17:18
L13	0	11 & (unit with (measur\$5 & rearrang\$5 & calculat\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 17:18
L14	1	11 & (unit & (measur\$5 & rearrang\$5 & calculat\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 17:18
L15	180	8 & (sensor with measu\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 17:26
L16	194	8 & (sensor with measur\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 17:27

L17	0	16 & (arrang\$5 with sequenc\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 17:27
L18	30	16 & (arrang\$5 with sequenc\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 17:39
L19	30	18 & method	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 17:28
L20	869	(LED (light near\$3 emitt\$3 near\$3 diode)) & (stor\$3 & sort\$3 & (light\$3 intensit\$3 value)) & (arrang\$5 & (rearrang\$5 (re adj arrang\$5))) & measur\$5 & tempor\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 17:30
L21	44	20 & robot	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 17:31
L22	0	21 & (temporar\$4 with pallet\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 17:32
L23	2	21 & (pallet\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 17:33
L24	6	method same (arrang\$5 & (rearrang\$5 (re adj arrang\$5))) same intensit\$3 same (led diode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 17:36

L25	892	method & ((arrang\$5 (rearrang\$5 (re adj arrang\$5))) with intensit\$3 with (led diode))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 17:51
L26	276	25 & (sens\$3 with measur\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 17:54
L27	14	26 & (arrang\$5 with sequenc\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 17:40
L28	1	method & ((arrang\$5 & (rearrang\$5 (re adj arrang\$5))) with intensit\$3 with (led diode))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 17:52
L29	11	method & ((arrang\$5 & (rearrang\$5 (re adj arrang\$5))) with intensit\$3) & (led (light near3 emitt\$3 near3 diode))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 17:53
L30	106	method & ((arrang\$5 & (rearrang\$5 (re adj arrang\$5))) with (value intensit\$3)) & (led (light near3 emitt\$3 near3 diode))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 17:53
L31	6	30 & (sens\$3 with measur\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 18:07
L32	22	20 & (computer with (rearrang\$5 (re adj arrang\$5)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 18:21

L33	48	"6608453"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 18:21
L34	3	33 & Intensit\$3 & arrang\$5 & (rearrang\$5 (re adj arrang\$5)) & stor\$3 & measur\$5 & tempor\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 18:23